



Material Safety Data Sheet

Global Dental Impression Trays, Inc.

Product Name: STYRON* 478 Natural Polystyrene

Issue Date: 04/24/2008

Print Date: 1 May 2008

Global Dental Impression Trays, Inc. encourages and expects you to read and understand the entire (M)SDS, as there is important information throughout the document. We expect you to follow the precautions identified in this document unless your use conditions would necessitate other appropriate methods or actions.

1. Product and Company Identification

Product Name
STYRON* 478 Natural Polystyrene

COMPANY IDENTIFICATION

Global Dental Impression Trays, Inc.
2651 E. 21st St., Ste 300
Tulsa, Ok 74114
USA

Customer Information No. 888-DENTRAY

EMERGENCY TELEPHONE NUMBER

24-Hour Emergency Contact: 918-246-2143
Local Emergency Contact: 918-246-2143

2. Hazards Identification

Emergency Overview

Color: Natural

Physical State: Pellets or Granules

Odor: Odorless to mild

Hazards of product: Slipping hazard

OSHA Hazard Communication Standard

This product is not a "Hazardous Chemical" as defined by the OSHA Communication Standard, 29 CFR 1910.1200.

Potential Health Effects

Eye Contact: Solid or dust may cause irritation or corneal injury due to mechanical action. Elevated temperatures may generate vapor levels sufficient to cause eye irritation. Effects may include discomfort and redness.

Skin Contact: Essentially nonirritating to skin. Mechanical injury only. Under normal processing conditions, material is heated to elevated temperatures; contact with the material may cause thermal burns.

Page 1 of 7

Product Name: STYRON* 478 Natural Polystyrene

Issue Date: 04/24/2008

Skin Absorption: No adverse effects anticipated by skin absorption.

Inhalation: No adverse effects are anticipated from single exposure to dust. Vapors/fumes released during thermal processing may cause respiratory irritation.

Ingestion: Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts. May cause choking if swallowed.

3. Composition Information

Component	CAS #	Amount
Styrene, 1,3-butadiene copolymer	9003-55-8	>= 96.0 %
White mineral oil (petroleum)	8042-47-5	<= 3.0 %

4. First-aid measures

Eye Contact: Flush eyes with plenty of water; remove contact lenses after the first 1-2 minutes then continue flushing for several minutes. Only mechanical effects expected. If effects occur, consult a physician, preferably an ophthalmologist.

Skin Contact: If molten material comes in contact with the skin, do not apply ice but cool under ice water or running stream of water. DO NOT attempt to remove the material from skin. Removal could result in severe tissue damage. Seek medical attention immediately.

Inhalation: Move person to fresh air; if effects occur, consult a physician.

Ingestion: If swallowed, seek medical attention. May cause gastrointestinal blockage. Do not give laxatives. Do not induce vomiting unless directed to do so by medical personnel.

Notes to Physician: If burn is present, treat as any thermal burn, after decontamination. No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

5. Fire Fighting Measures

Extinguishing Media: Water fog or fine spray. Dry chemical fire extinguishers. Carbon dioxide fire extinguishers. Foam.

Fire Fighting Procedures: Keep people away. Isolate fire and deny unnecessary entry. Soak thoroughly with water to cool and prevent re-ignition. If material is molten, do not apply direct water stream. Use fine water spray or foam. Cool surroundings with water to localize fire zone. Hand held dry chemical or carbon dioxide extinguishers may be used for small fires.

Special Protective Equipment for Firefighters: Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). If protective equipment is not available or not used, fight fire from a protected location or safe distance.

Unusual Fire and Explosion Hazards: Pneumatic conveying and other mechanical handling operations can generate combustible dust. To reduce the potential for dust explosions, do not permit dust to accumulate. Dense smoke is produced when product burns.

Hazardous Combustion Products: During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating. Combustion products may include and are not limited to: Carbon dioxide. Carbon monoxide.

6. Accidental Release Measures

Steps to be Taken if Material is Released or Spilled: Sweep up. Recover spilled material if possible. Collect in suitable and properly labeled containers. See Section 13, Disposal Considerations, for additional information.

Personal Precautions: Keep unnecessary and unprotected personnel from entering the area. Spilled material may cause a slipping hazard. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Environmental Precautions: Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.

7. Handling and Storage

Handling

General Handling: No smoking, open flames or sources of ignition in handling and storage area. Good housekeeping and controlling of dusts are necessary for safe handling of product. Avoid breathing process fumes. Use with adequate ventilation. When appropriate, unique handling information for containers can be found on the product label. Workers should be protected from the possibility of contact with molten resin. Do not get molten material in eyes, on skin or clothing. Pneumatic conveying and other mechanical handling operations can generate combustible dust. To reduce the potential for dust explosions, electrically bond and ground equipment and do not permit dust to accumulate. Dust can be ignited by static discharge.

Storage

Store in a dry place. Store in accordance with good manufacturing practices.

8. Exposure Controls / Personal Protection

Exposure Limits

Although some of the additives used in this product may have exposure guidelines, these additives are encapsulated in the product and no exposure would be expected under normal handling conditions.

Personal Protection

Eye/Face Protection: Use safety glasses. If there is a potential for exposure to particles which could cause eye discomfort, wear chemical goggles. If exposure causes eye discomfort, use a full-face respirator.

Skin Protection: No precautions other than clean body-covering clothing should be needed.

Hand protection: Chemical protective gloves should not be needed when handling this material. Consistent with general hygienic practice for any material, skin contact should be minimized. Use gloves to protect from mechanical injury. Selection of gloves will depend on the task. Use gloves with insulation for thermal protection, when needed.

Respiratory Protection: Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. Use an approved air-purifying respirator when vapors are generated at increased temperatures or when dust or mist is present. The following should be effective types of air-purifying respirators: When dust/mist are present use a/an Particulate filter. When combinations of vapors, acids, or dusts/mists are present use a/an Organic vapor cartridge with a particulate pre-filter.

Ingestion: Use good personal hygiene. Do not consume or store food in the work area. Wash hands before smoking or eating.

Engineering Controls

Ventilation: Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

9. Physical and Chemical Properties

Physical State	Pellets or Granules
Color	Natural
Odor	Odorless to mild
Flash Point - Closed Cup	Not applicable
Flammable Limits In Air	Lower: Not applicable Upper: Not applicable
Autoignition Temperature	No test data available
Vapor Pressure	Not applicable
Boiling Point (760 mmHg)	Not applicable.
Vapor Density (air = 1)	Not applicable
Specific Gravity (H₂O = 1)	1.04 - 1.06 <i>Estimated</i>
Freezing Point	Not applicable
Melting Point	No test data available
Solubility in Water (by weight)	Negligible
pH	Not applicable
Kinematic Viscosity	Not applicable

10. Stability and Reactivity

Stability/Instability

Stable under recommended storage conditions. See Storage, Section 7.

Conditions to Avoid: Avoid temperatures above 300 °C (572 °F). Exposure to elevated temperatures can cause product to decompose.

Incompatible Materials: None known.

Hazardous Polymerization

Will not occur.

Thermal Decomposition

Decomposition products depend upon temperature, air supply and the presence of other materials. Processing may release fumes and other decomposition products. At temperatures exceeding melt temperatures, polymer fragments can be released. Fumes can be irritating. Decomposition products can include and are not limited to: Combustible gases.

11. Toxicological Information

Acute Toxicity

Ingestion

Estimated LD₅₀, Rat > 5,000 mg/kg

Skin Absorption

Estimated LD₅₀, Rabbit > 2,000 mg/kg

Repeated Dose Toxicity

Additives are encapsulated in the product and are not expected to be released under normal processing conditions or foreseeable emergency.

12. Ecological Information

ENVIRONMENTAL FATE

Movement & Partitioning

No bioconcentration of the polymeric component is expected because of its high molecular weight. In the terrestrial environment, material is expected to remain in the soil. In the aquatic environment, material will sink and remain in the sediment.

Persistence and Degradability

This water-insoluble polymeric solid is expected to be inert in the environment. Surface photodegradation is expected with exposure to sunlight. No appreciable biodegradation is expected.

ECOTOXICITY

Not expected to be acutely toxic, but material in pellet or bead form may mechanically cause adverse effects if ingested by waterfowl or aquatic life.

13. Disposal Considerations

DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER. All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator. AS YOUR SUPPLIER, WE HAVE NO CONTROL OVER THE MANAGEMENT PRACTICES OR MANUFACTURING PROCESSES OF PARTIES HANDLING OR USING THIS MATERIAL. THE INFORMATION PRESENTED HERE PERTAINS ONLY TO THE PRODUCT AS SHIPPED IN ITS INTENDED CONDITION AS DESCRIBED IN MSDS SECTION: Composition Information. FOR UNUSED & UNCONTAMINATED PRODUCT, the preferred options include sending to a licensed, permitted: Recycler. Reclaimer. Incinerator or other thermal destruction device.

14. Transport Information

DOT Non-Bulk

|| NOT REGULATED

DOT Bulk

|| NOT REGULATED

IMDG

|| NOT REGULATED

ICAO/IATA

|| NOT REGULATED

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

15. Regulatory Information

OSHA Hazard Communication Standard

This product is not a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Sections 311 and 312

Immediate (Acute) Health Hazard	No
Delayed (Chronic) Health Hazard	No
Fire Hazard	No
Reactive Hazard	No
Sudden Release of Pressure Hazard	No

Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Section 313

To the best of our knowledge, this product does not contain chemicals at levels which require reporting under this statute.

Pennsylvania (Worker and Community Right-To-Know Act): Pennsylvania Hazardous Substances List and/or Pennsylvania Environmental Hazardous Substance List:

To the best of our knowledge, this product does not contain chemicals at levels which require reporting under this statute.

Pennsylvania (Worker and Community Right-To-Know Act): Pennsylvania Special Hazardous Substances List:

To the best of our knowledge, this product does not contain chemicals at levels which require reporting under this statute.

California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986)

This product contains no listed substances known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under the statute.

US. Toxic Substances Control Act

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.30

CEPA - Domestic Substances List (DSL)

All substances contained in this product are listed on the Canadian Domestic Substances List (DSL) or are not required to be listed.

16. Other Information**Product Literature**

Additional information on this product may be obtained by calling your sales or customer service contact.

Recommended Uses and Restrictions

A polystyrene plastic - For industrial conversion as a raw material for manufacture of articles or goods. We recommend that you use this product in a manner consistent with the listed use. If your intended use is not consistent with the stated use, please contact your sales or technical service representative.

Revision

Identification Number: 79712 / 1001 / Issue Date 04/24/2008 / Version: 2.1

Most recent revision(s) are noted by the bold, double bars in left-hand margin throughout this document.

Legend

N/A	Not available
W/W	Weight/Weight
OEL	Occupational Exposure Limit

STEL	Short Term Exposure Limit
TWA	Time Weighted average
ACGIH	American Conference of Governmental Industrial Hygienists, Inc.
DOW IHG	Dow Industrial Hygiene Guideline
WEEL	Workplace Environmental Exposure Level
HAZ DES	Hazard Designation
Action Level	A value set by OSHA that is lower than the PEL which will trigger the need for activities such as exposure monitoring and medical surveillance if exceeded.

Global Dental Impression Trays, Inc. urges each customer or recipient of this (M)SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M) SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.



MATERIAL SAFETY DATA SHEET

SECTION I. PRODUCT / COMPANY IDENTIFICATION

PRODUCT/TRADE NAME:

CC5718467-00 FDA PINK

RATIO/RESIN:

50/1 CUST. HIPS

DATE PREPARED:

July 2008

MANUFACTURER:

GLOBAL DENTAL IMPRESSION TRAYS, INC.

2651 E. 21ST ST., STE. 300

TULSA, OK 74114

1-888-DENTRAY

SECTION II. COMPOSITION / INFORMATION ON INGREDIENTS

THE FOLLOWING INFORMATION PROVIDED ON THE BELOW PELLETIZED MATERIAL APPLIES TO THE PIGMENTS / RESIN IN THE PURE DRY FORM. THE FORM OF THE MATERIAL PROVIDED TO YOU IS ENCAPSULATED IN PLASTIC AND THEREFORE, THE LIKELIHOOD OF EXPOSURE IS MUCH LESS, EVEN TO THE POINT OF NEGLIGIBLE.

ALL UNITS ARE MG/CU.M

HAZARDOUS COMPONENTS	%	OSHA PEL	ACCGIH TLV
ZINC STEARATE CAS # 557-05-01	3.96600		
TITANIUM DIOXIDE CAS#13463-67-7	30.83700		

SECTION III. HAZARDS IDENTIFICATION

HEALTH HAZARDS (ACUTE AND CHRONIC):

INHALATION: PELLETS NOT RESPIRABLE. INHALATION OF FINES FROM GROUND PELLETS CAN IRRITATE THE NOSE AND THROAT.

SKIN: SKIN CONTACT WITH THE PELLETS AS RECEIVED DOES NOT PRESENT ANY KNOWN HEALTH HAZARD. HOT MOLTEN POLYMER WILL CAUSE SEVERE THERMAL BURNS.

INGESTION: NOT A PROBABLE ROUTE OF EXPOSURE.

SIGNS AND SYMPTOMS OF EXPOSURE: *NOTE: THE FOLLOWING INFORMATION PROVIDED ON THE HAZARDOUS PIGMENT (S) APPLIES TO THE PIGMENT (S) IN THE

PURE DRY FORM. THE FORM OF THE PIGMENT PROVIDED TO YOU IS ENCAPSULATED IN PLASTIC AND THEREFORE, THE LIKELIHOOD OF EXPOSURE IS MUCH LESS, EVEN TO THE POINT OF NEGLIGIBLE. WE THEREFORE CONSIDER THE LEVEL OF HAZARD TO BE NEGLIGIBLE.

THERMOPLASTIC RESIN: RESPIRATORY TRACT MAY BE IRRITATED BY NUISANCE DUST CAUSED BY HANDLING AND SOME OPERATIONS AND BY FUMES GENERATED DURING PROCESSING. NO OTHER EFFECTS HAVE BEEN ASSOCIATED WITH THE RESIN.

***TITANIUM DIOXIDE: EXPOSURE TO THIS PRODUCT FOR A SHORT DURATION IS NOT LIKELY TO CAUSE ADVERSE EFFECTS DIRECTLY AFTER EXPOSURE. CHRONIC OVER EXPOSURE TO TITANIUM DIOXIDE MAY CAUSE SLIGHT LUNG FIBROSIS. WHEN TITANIUM DIOXIDE WAS FED TO RATS AND MICE FOR THEIR LIFETIMES IN CARCINOGEN BIOASSAY, IT WAS NOT CARCINOGENIC. HOWEVER INHALATION OF TITANIUM DIOXIDE DUST AT 50 TIMES THE NUISANCE DUST LEVEL CAUSED FIBROSIS AND A SLIGHT INCREASE IN LUNG TUMOR INCIDENCE IN LABORATORY RATES. (**This only pertains to material that has Titanium please see Section II).

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: THERMOPLASTIC RESIN: NONE KNOWN.

SECTION IV. FIRST AID MEASURES

INHALATION: VENTILATION SHOULD BE PROVIDED TO CONTROL FUMES AND ODORS, AND ANY DUST CONDITIONS. IF EXPOSED TO FUMES AND OVERHEATING OR FROM COMBUSTION, MOVE TO FRESH AIR. CONSULT A PHYSICIAN.

SKIN: WASH SKIN WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING AND CLEAN BEFORE REUSE SEEK MEDICAL ATTENTION IN THE UNLIKELY EVENT THAT IRRITATION OCCURS. n/a

INGESTION: DO NOT GIVE BY MOUTH. CONSULT A PHYSICIAN.

SECTION V. FIRE FIGHTING MEASURES

FLASH POINT (METHOD USED): NOT EXAMINED

EXTINGUISHING MEDIA: WATER, CO₂, FOAM, CHEMICAL DRY POWDER.

FLAMMABLE LIMITS: LEL: N/E UEL: N/E

SPECIAL FIRE FIGHTING PROCEDURES: TREAT AS ANY COMBUSTIBLE SOLID FIRE. WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL TURNOUT GEAR TO FIGHT FIRES.

UNUSUAL FIRE AND EXPLOSION HAZARDS: BURNING MATERIAL MAY EMIT TOXIC FUMES. GASES RELEASED INCLUDE CARBON MONOXIDE AND VARIOUS HYDROCARBONS.

SECTION VI. ACCIDENTAL RELEASE MEASURES

STEPS TO TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: NORMAL CLEAN UP OF MATERIAL TO AVOID SLIPPING. PLACE SPILLED MATERIAL INTO APPROPRIATE WASTE CONTAINERS FOR DISPOSAL. CARE SHOULD BE TAKEN TO AVOID CAUSING DUST TO

BECOME AIRBORNE

SECTION VII. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING. STORE IN A DRY, WELL-VENTILATED AREA, USING A CLOSED CONTAINER TO AVOID CONTAMINATION. KEEP AWAY FROM HIGH HEAT.

OTHER PRECAUTIONS: NOT TO BE TAKEN INTERNALLY. USE GOOD INDUSTRIAL HYGIENE PRACTICES

SECTION VIII. EXPOSURE CONTROL / PERSONAL PROTECTION

RESPIRATORY PROTECTION: NIOSH APPROVED DUST RESPIRATOR IF DUST LEVELS EXCEED THE OSHA EXPOSURE LIMITS.

VENTILATION: PROVIDE GOOD VENTILATION TO MAINTAIN DUST CONCENTRATIONS BELOW THE EXPOSURE LIMITS.

PROTECTIVE GLOVES: GLOVES OF IMPERVIOUS MATERIALS ARE RECOMMENDED.

EYE PROTECTION: SAFETY GLASSES OR GOGGLES ARE RECOMMENDED FOR DUST PROTECTION. WEARING OF CONTACT LENSES IN AREAS WHERE DUST EXISTS IS NOT RECOMMENDED.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: IMPERVIOUS CLOTHING COVERING ARMS AND LEGS SHOULD BE WORN.

WORK / HYGIENE PRACTICES: DO NOT EAT, DRINK, OR SMOKE IN WORK AREA. USE NORMAL SOAP AND WATER CLEANSING PROCEDURES

SECTION IX. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: COLORED PELLETS
COLOR: RED/PINK
COOLING POINT: DECOMPOSES ABOVE 500
VAPOR PRESSURE: N/A
VAPOR DENSITY (AIR=1): N/A
SOLUBILITY IN WATER: INSOLUBLE
*SPECIFIC GRAVITY (H₂O=1): NOT EXAMINED
MELTING POINT: 222°F
EVAPORATION RATE (BUTYL ACETATE=1): N/A

SECTION X. STABILITY AND REACTIVITY

STABILITY: STABLE X UNSTABLE _____
INCOMPATIBILITY (MATERIALS TO AVOID): STRONG OXIDIZING AGENTS
HAZARDOUS POLYMERIZATION: MAY OCCUR _____ MAY NOT OCCUR X
CONDITIONS TO AVOID: NONE KNOWN.

SECTION XII. ECOLOGICAL INFORMATION

EXOTOXICOLOGICAL INFORMATION: N/A

SECTION XIII. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: IF DISCARDED IN ITS ORIGINAL UNUSED FORM, THIS PRODUCT DOES NOT MEET THE DEFINITION OF A RCRA HAZARDOUS WASTE UNDER 40 CFR 261. HOWEVER, IT SHOULD BE MANAGED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REQUIREMENTS

SECTION XIV. TRANSPORTATION INFORMATION

SHIPPING INFORMATION:

SHIPPING CONTAINERS:

BAGS

BOXES

DRUMS

GAYLORDS

NOT REGULATED AS A HAZARDOUS MATERIAL BY DOT OR IMO

SECTION XV. REGULATORY INFORMATION

OSHA -THIS PRODUCT IS NOT CONSIDERED TO BE HAZARDOUS SUBSTANCE UNDER OSHA'S FEDERAL HAZARD COMMUNICATION STANDARD 29 CFR 1910.1200

SARA TITLE III -ZINC STEARATE IS LISTED AS A "TOXIC CHEMICAL" (SECTION 313). DEPENDING UPON QUANTITIES USED, ANNUAL REPORTING MAY BE REQUIRED. ALSO, ZINC STEARATE MAY BE SUBJECT TO EMERGENCY RELEASE NOTIFICATION, CERCLA HAZARDOUS SUBSTANCE.

MADEP -MSDS FORMS MUST BE SUBMITTED IN ACCORDANCE WITH MASSACHUSETTS GENERAL LAW (MGL) CHAPTER 111F.

SECTION XVI. OTHER INFORMATION

FOR MORE INFORMATION CONTACT:

GLOBAL DENTAL IMPRESSION TRAYS, INC.

PHONE 918-246-2143

MRS. KELLIE ALEXANDER

*THIS INFORMATION IS ACCURATE AND RELIABLE TO THE BEST OF OUR KNOWLEDGE. IT IS FURNISHED WITHOUT WARRANTY, EXPRESSED OR IMPLIED. F&D PLASTICS ASSUMES NO LEGAL RESPONSIBILITY FOR THE USE OF, OR RELIANCE UPON, THESE DATA FOR HAZARDS WHICH MIGHT BE ASSOCIATED WITH THE USE OF THIS MATERIAL OR FOR THE RESULTS OBTAINED. IT IS THE RESPONSIBILITY OF THE USER TO COMPLY WITH ALL APPLICABLE LAWS AND REGULATIONS. WE ARE NOT RESPONSIBLE FOR TYPOGRAPHICAL ERRORS.